

5112

TO BE PUBLISHED IN THE GAZETTE OF INDIA EXTRAORDINARY.
PART XX - SECTION 3 - SUB-SECTION (1)

NOTIFICATION

INCOME-TAX

New Delhi, the 28th
February, 1963.

S.O. In exercise of the powers conferred by section 295 of the Income-tax Act, 1961 (43 of 1961), the Central Board of Direct Taxes hereby makes the following rules further to amend the Income-tax Rules, 1962, namely:-

1. (1) These rules may be called the Income-tax (Fourth Amendment) Rules, 1963.

(2) They shall come into force on the 2nd day of April, 1963.

2. In the Income-tax Rules, 1962, in Part I of Appendix I, in the "Table of rates at which depreciation is admissible":-

(1) under the heading "1 Buildings":-

(i) for items 1, 2 and 3 and the entries relating thereto in columns 1, 2 and 3, the following items and entries shall be substituted, namely:-

1	2	3
---	---	---

1. General rate 5

2. Special rate in respect of factory buildings (excluding offices, godowns, officers' and employees' quarters, roads,

"Buildings" include roads, bridges, culverts, wells and tube-wells.)

bridges, culverts,
walls and tube-
walls)

10%

- (ii) items 1 and 5 shall be renumbered
as items 3 and 4 respectively;
- (iii) in item 4 as so renumbered, in
sub-items (a) and (b), in the entries
under column 2, for the figures and
word "1, 2, 3 or 4", the figures and
word "1, 2, or 3", shall be substituted;

(2) under the heading "III MACHINERY AND PLANT
(not being a ship)";--

- (i) in item (i), in column 2, for the
figures "10", the figures "15"
shall be substituted;

(ii) in item (ii);--

(A) Group A and group B shall be
omitted;

(B) in group B, sub-item (10C) and
the entries relating thereto in
column 1 shall be omitted;

(C) in group B, after sub-item (2),
the following sub-items shall be
inserted in column 1, namely:-

- "(2A) Energy saving devices, being--
(a) Specialised boilers and furnaces
(i) Inertifluid/fluidized bed
boiler
(ii) Flameless furnaces
(iii) fluidized bed type heat
treatment furnace

and the entries
relating thereto
in columns 1 and 2

- (iv) High efficiency boilers
(thermal efficiency higher than 75 per cent. in case of coal fired and 80 per cent. in case of oil/gas fired boilers)
- (b) Instrumentation and monitoring system for monitoring energy flows:
- (i) Automatic electrical load monitoring system
 - (ii) Digital heat loss meters
 - (iii) Micro-processor-based control systems
- (c) Waste heat recovery equipments and co-generation systems:
- (i) Economisers and feed water heaters
 - (ii) Recuperators and air pre-heaters
 - (iii) Back-pressure turbines for co-generation
 - (iv) Heat pumps
 - (v) Vapour absorption refrigeration system
 - (vi) Organic rankine cycle power system
 - (vii) Low inlet pressure small steam turbines
- (d) Power factor correcting devices:
- Shunt capacitors and synchronous condenser systems;
- (iii) In item (iv),-
- (A) in the paragraph occurring after the illustration, for the figures and words "10 per cent.", the figures and words "15 per cent." shall be substituted;
 - (B) for the items of machinery and plant at (1) to (10) and the entries relating thereto in column 1, the following items and

entries shall be substituted, namely:-

(1) Accounting machines

(2) Airconditioning machinery including room airconditioners

(3) Building contractors' machinery

(4) Calculating machines

(5) Electrical Machinery - switchgear and instruments, transformers and other stationary plant and wiring and fittings of electric light and fan installations

(6) hydraulic works, pipelines and sluices

(7) Locomotives, rolling stocks, tramways and railways used by concerns, excluding railway concerns

(8) Mineral oil concerns to field operations:-

(a) Boilers

(b) Prime movers

(c) Process plant

(d) storage tanks (above ground)

(e) Pipelines (above ground)

(f) Jetties and dry docks

(9) Mineral oil concerns - field operations(distribution) - kerbside pumps, including underground tanks and fittings

(10) Mineral oil concerns - refineries:-

(a) Boilers

(b) Prime movers

(c) Process plant

(11) Mines and quarries:-

(a) surface and underground machinery (other than electrical machinery and portable underground machinery)

(b) Head-gears

(c) Rails

- (1) Boilers
- (e) shafts and inclines
- (f) tramways on the surface
- (12) Neo-post Franking machines
- (13) Office machinery
- (14) Overhead cables and wires
- (15) Railway sidings
- (16) Refrigeration plant containers etc.
(other than racks)
- (17) Ropeway structures:-
 - (a) Trestle and station steel work
 - (b) Driving and tension gearing
- (18) Salt works - Reservoirs, condensers, salt pans, delivery channels and pipes if constructed of masonry, concrete, cement, asphalt or similar materials; barges and floating plant; piers, quays and jetties; and pipelines for conveying brine if constructed of masonry, concrete, cement, asphalt or similar materials
- (19) Surgical instruments
- (20) Tramways electric and tramways run by internal combustion engine - permanent way; cars - car, trucks, car bodies, electrical equipment and motors; tram cars including engines and gears
- (21) Typewriters
- (22) Weighing machines
- (23) wireless apparatus and gear, wireless appliances and accessories".

L.No. 5112 / F.No. 48/PB/B3-T9L7

V.O. ANTHONY
JAGALAY

CENTRAL BOARD OF DIRECT TAXES

५।।२।

भारत के राज्यालय, असाधारण, भाग २ - छंड ३ - उपलब्ध (१) में प्रकाशनार्थ

भारत सरकार
वित्त मंत्रालय
के द्वारा प्रस्तुत कर बोर्ड

नई दिल्ली, दिनांक २८ फरवरी १९८३

जापिसूचना

प्रस्तुत

क्रमांक १३।(अ) के द्वारा प्रस्तुत कर बोर्ड, आयकर अधि नियम, १९६१

(१९६१ अ ४३) की शारा २९५ द्वारा प्रदत्त समिक्षीयों का प्रयोग करते हुए आयकर नियम, १९६२ का और संशोधन करने के लिए निम्नलिखित नियम बनाते हैं, जारीत :-

१. (१) इन नियमों का सम्पूर्ण नाम आयकर (चौथा संशोधन) नियम १९८३ है।

(२) ये २ अप्रैल, १९८३ को प्रकृत ढैगी।

२. आयकर नियम, १९६२ के परिवेष्ट १, शारा १ में "दक्ष व्यापार" के लिए अनुदेश दरों की सारणी " में,

(१) " १. इवन" शीर्षक के नीचे, -

(१) यदि १, २ और ३ तथा संख १, २ और ३ में उनसे सट बनात प्रविधियों के स्थान पर निम्नलिखित मध्ये और प्रविधियाँ रखी जातीं जारीत :-

१- साधारण दर

२- "इवन" के अन्तर्गत सड़कें, पुल, पुलियाँ, कुल और नलकूप हैं।"

२- कारबाहा वस्त्रों के संबंध में

(कार्यालियों, गोदायों, अधिकारियों और कर्मचारियों के व्यार्टरों, सड़कों, पुल, पुलियों, कुलों और नलकूपों की छोड़कर)
विशेष दर ।

(ii) यदि ५ और ३ के समान यदि ३ और ५" के स्थान में पुनर्लोकित किया जाएगा ।

(iii) इस प्रकार पुनर्लोकित यदि ५ में, उपर्युक्त (क) और (ख) में, सत्तमा २ के नीचे की प्रविदिक्षों में १, २, ३ अथवा ५" जैसे और शब्द के स्थान पर " १, २, अथवा ३" ऐसे और शब्द रखे जाएगी ।

(2) " १११ गोलीनरी और सर्वत्र (जो पोत नहीं है), गोर्खिक के नीचे, -

(i) यदि (1) में, सत्तमा २ में, " १० " ऐसे के स्थान पर " १५ " ऐसे रखा जाएगा ।

(ii) यदि (1) में -

(क) सत्तमा १ और २ में, समृद्ध के बैर समृद्ध एवं बैर उससे संबंधित प्रविदिक्षों का संबंध किया जाएगा ।

(ख) सत्तमा १ में, समृद्ध एवं उपर्युक्त (१० म) और उससे संबंधित प्रविदिक्षों का संबंध किया जाएगा ।

(ग) सत्तमा १ में समृद्ध 'व' में, उपर्युक्त (२) के स्वातंत्र निम्नलिखित उपर्युक्त अंतर स्थानित की जाएगी, अर्थात् -

(2क) उच्च चक्र युक्तिया, जो निम्नलिखित है,

(क) विहीन वायतर और गटिया -

(1) इंगनी तरत (इंगनीस्ट्रुइड) तरतन साँतर वायतर,

(ii) दिना जाता की बट्टी,

(iii) तरतज बहतर प्रकार की उच्चा उच्चार बट्टी,

(iv) उच्च बहता वाले वायतर (उच्च मीठ बहता बेथता जलाने वाले वायतरों की दशा में, ७५ प्रतिहात से उच्चतर और तेल / गूँज जलाने वाले वायतरों की दशा में ८० प्रतिहात) ।

- (अ) उर्ध्व बडाव का महनीटरन करने के लिए पंचीकरण और मानीटरन पद्धति :
- स्वशासित वैयुत का महनीटरन पद्धति ।
 - बैंकीय उम्मा हानि भीटर ।
 - सुध कल्पनाशिक्ष पर आधारित नियंत्रण पद्धति ।
- (ब) अवधारणा उम्मा को दुनियाल करने के उपचार और सह-उत्पादन पद्धति :
- मित उपयोजित और इरण जल तापक ।
 - पुनर्योजित और वायु पूर्वतापक ।
 - सह-उत्पादक के लिए वाचाव टरकाइन ।
 - उम्मा पद ।
 - वायु अवधारणा प्रशीतन पद्धति ।
 - क्षयीनक रेफिन चक्र पद्धति ।
 - गत्त कल्पना वाय लघु वाय का टर्काइन ।
 - शक्ति गुणक संगोष्ठन युक्तियाँ :
- "इट वैयारिज और तुथाक्षासिक ड्राइवर पद्धति"
- पद (iv) में ।
 - इटटात के घचात वाले ऐरा में "10 प्रतिहात" कंक और शब्द के स्थान पर "15 प्रतिहात" कंक और शब्द रखे जाएंगे ।
 - (c) (1) से (10) तक की शीनरी और स्थान सम्बन्धी शब्दों और स्थान । मैं उनसे सम्बन्धित ग्रिहिण्यों के स्थान पर निम्नालिखित बड़े और ग्रिहिण्यों रखी जाएंगी, अर्थात् :
- "(1), परिकलन पत्र ।
- (2) वातानुकूलन शीनरी जिसके अन्तर्गत का वातानुकूलक है ।

- (3) बदल ठेकेदार की मरीनरी ।
- (4) संगठक मरीन ।
- (5) वेधुत मरीनरी - यिन्हे गियर और उड़ान, दूसरोंवार और
अप्य निम्नल संयंत्र तथा विद्युत इकाइ के बायोरिंग और फिटिंग
और अंगों का प्रतिष्ठान ।
- (6) इन चालित संकर्म, विशेष जाइनें और सूखे ।
- (7) लोको-मोटर, क्ल स्टोक इक व
और रेत, वो रेत समुद्रानों से अवशिष्ट करके
अप्य समुद्रानों द्वारा प्रयुक्त होती है ।
- (8) घनिय तेल समुद्रान फिल्टर लिभरें ।
- (क) बायलर
- (ख) ड्रू यंत्र उत्पादक
- (ग) प्रोसेस संयंत्र
- (घ) फिल्टर की टेक्सिया भूमि के ऊपर
- (इ) पानव जाइने (भूमि के ऊपर)
- (ब) बैटरीया और सुधी यु गोविया
- (9) घनिय तेल समुद्रान -फिल्टर लिभरें (वितरण) सहक के लिनारे के
एक, जिनके कलर्गत भूमि के नीचे की टेक्सिया और फिटिंग भी है ।
- (10) घनिय तेल समुद्रान परिष्कार शाखा ।
- (क) बायलर
- (ख) ड्रू यंत्र उत्पादक
- (ग) इक्सिया संयंत्र
- (11) यान और लोन ।
- (क) यु तेल और भूमि के नीचे के मरीनरी (वेधुत मरीनरी) और
भूमि के नीचे की सुखाय जरीनरी से छेद कर
- (ख) ईड गियर
- (ग) रेत

- (८) बायलर
- (९) शून्य के बीच अनिवार्य
- (१०) भूत्त पर इक्के
- (११) नियोजित बैल आर्मी
- (१२) अधिकारी बहिनी
- (१३) लिरोपर केवल और तारे
- (१४) रेस साइडिंग
- (१५) पुर्वीतन संघर्ष, असान जाहि (रेसे से लिन)
- (१६) रम्प भार निवारिया । -
- (क) टिक्कीट के बीच लेन असान सर्कार
- (ब) चाल के बीच तुनाब समाने आसे गियर
- (१७) लक्षण सर्कार-जाहाय, संपत्ति त्र, लक्षण बेट्टा, दौरवाय जल
लहरीया और नियर्स, अदि यादि गारा, कंपोट बीमेट, लक्ष्मण या
सरस्वत पदार्थों के उत्तिर्वत हो, बंगलार और जल संर्वत, बीमा,
इक्के और ऐट्रिट्या, तथा लक्षण जल का इवाहा, करने के लिए
पारव लहर्ने अदि यादि गारा कंपोट, सीमेट, लक्ष्मण या
सरस्वत पदार्थों से की हो ।
- (१८) खल उपकरण ।
- (१९) विद्युत द्राघे और अतर्वहन इन्हों से जासने आसी द्राघे-स्वायी
सर्कार, करों - खार, हूँडे, करों के द्वारा, विद्युत उपकर और बोटरों,
द्राघ जारों, जिनके अत्यर्गत इन और गियर हैं ।
- (२०) टाइपराइटर
- (२१) तुन - आर्मी
- (२२) वेतार ऊरकर और गियर, वेतार सारिये और ऊरसाधन । ” ।
(रु ० ५११.२१ / कर्मस० ४४ दी. बी. / ८३ दी. बी. ल.

(बीएडी११ बायलर क)

कैफिय इलाह एवं बोहर